



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

utes as an appendix an interesting sketch of the life history of the oyster. Of the forty-eight plates which accompany the paper ten, are excellent drawings of living species, so that the reader can compare for himself the fossil and the recent forms. A second appendix, North American Tertiary Ostreidæ, by Prof. Angelo Heilprin, completes the review.

RUSSELL'S GEOLOGICAL RECONNAISSANCE OF SOUTHERN OREGON.¹—This paper is the result of the author's own observations in this region, and his conclusions are summed up as follows :

"The rocks are almost entirely igneous. The basins are orographic valleys of the Great Basin type. During the Plistocene the excess of precipitation over evaporation was greater than at present. A number of the Plistocene lakes did not overflow. Many of the lakes which now occupy basins of extensive Plistocene lakes that did not find an outlet are either fresh, or hold but a small amount of mineral matter in solution. Many of the basins now occupied by arid deserts were then filled with lakes. No glaciers existed during the Plistocene period in that part of Oregon east of the Cascade Mountains, and south of the forty-fourth parallel."

The paper is illustrated by two excellent maps and several cuts of sections in different localities.

THE PELAGIC STAGE OF YOUNG FISHES, by Agassiz and Whitman.²—This memoir is a continuation of the papers on the young stages of osseous fishes commenced by Mr. Agassiz in 1877, and is devoted to descriptive sketches of the different fish eggs and young fishes that have come under the author's notice. As far as possible figures of the characteristic stages of each species have been given, and many of the sketches supplement those formerly published by Mr. Agassiz. There is added a synoptic table of the characters of various eggs and young fishes with reference to the plates where they are figured, which will enable the student to identify them with little difficulty.

WRIGHT ON THE SKULL AND AUDITORY ORGAN OF THE SILUROID HYPOPHthalmus.³—The object of this paper is to

¹ A Geological Reconnaissance in Southern Oregon. By Israel C. Russell. Extract from the Fourth Annual Report U. S. Geol. Survey, 1884.

² The Pelagic Stages of Young Fishes. By Alexander Agassiz and C. O. Whitman. With nineteen plates. Extract from the Memoirs of the Museum of Comparative Zoölogy, Vol. xiv., No. 1, Part i., 1885.

³ On the Skull and Auditory Organ of the Siluroid Hypophthalmus. By R. Ramsay Wright, University College, Toronto. Extract Trans. Roy. Soc., Canada, 1885.